



Thermostatic Traps

MOUNTING PATTERN	Size	Sterlco	Armstrong	Hoffman	Mepco	Nicholson Spence	Spirax Sarco	Watson Macdaniel
LOW PRESSURE BRASS TRIM	1/2"	750-A	TS-2	•	•	•	T-25	TA25B-12-N
	1/2"	950-A	TS-2	•	1E-AP	•	T-25	TA25B-12-N
	1/2"	970-S	TS-2	•	1E-SW	•	•	TS25B-12-N
	1/2"	970-R	TS-2	•	1E-RH	•	•	•
	1/2"	970-L	TS-2	•	1E-LH	•	•	•
	1/2"	980-VS	TS-2	•	1E-VS	•	•	•
	3/4"	953-A	TS-2	•	2E-AP	•	•	TA25B-13-N
	3/4"	973-S	TS-2	•	2E-SW	•	•	TS25B-13-N
	3/4"	983-VST	TS-2	•	1E-VST	•	•	•
	1"	915-A	•	•	3C-AP	•	•	•
LOW PRESSURE STAINLESS STEEL TRIM	1/2"	750-AX	TS-3	•	•	•	•	•
	1/2"	950-AX	TS-3	•	1ESS-AP	•	•	•
	1/2"	970-SX	TS-3	•	1ESS-SW	•	•	•
	1/2"	970-RX	TS-3	•	1ESS-RH	•	•	•
	1/2"	970-LX	TS-3	•	1ESS-LH	•	•	•
	1/2"	980-VSX	TS-3	•	1ESS-VS	•	•	•
	3/4"	953-AX	TS-3	•	2ESS-AP	•	•	•
	3/4"	973-SX	TS-3	•	2ESS-SW	•	•	•
	3/4"	983-VSTX	TS-3	•	1ESS-VST	•	•	•
	1"	915-AX	•	•	3CSS-AP	•	•	•
HIGH PRESSURE STAINLESS STEEL TRIM	1/2"	950-AH	•	•	TH-1C-AP	•	•	TA125-12-N
	1/2"	970-SH	•	•	TH-1C-SW	•	•	TS125-12-N
	3/4"	953-AH	•	•	TH-2C-AP	•	•	TA125-13-N
	1"	915-AH	•	•	TH-3C-AP	•	•	TA125-13-N

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.



Float & Thermostatic Traps

MOUNTING PATTERN	Size	Sterlco	Armstrong	Hoffman	Mepco	Nicholson Spence	Spirax Sarco	Watson Macdaniel
H PATTERN NPT	3/4"	FT92-3-15	15-B3	FT015H	44-215A	FTN-15	FT15	FT3-015-13-N
	1"	FT92-4-15	15-B4	FT015H	44-415A	FTN-15	FT15	FT3-015-14-N
	1-1/4"	FT92-5-15	15-B5	FT015H	44-515A	FTN-15	FT15	•
	1-1/2"	FT92-6-15	15-B6	FT015H	44-715A	FTN-15	FT15	•
	3/4"	FT92-3-30	30-A3 / 30-B3	FT030H	44-230A	FTN-30	FT30	FT33-030-13-N
	1"	FT92-4-30	30-A4 / 30-B4	FT030H	44-430A	FTN-30	FT30	FT33-030-14-N
	1-1/4"	FT92-5-30	30-A5 / 30-B5	FT030H	44-530A	FTN-30	FT30	•
	1-1/2"	FT92-6-30	30-A6 / 30-B6	FT030H	44-730A	FTN-30	FT30	•
	3/4"	FT92-3-75	75-A3	FT075H	44-275A	FTN-75	FT75	•
	1"	FT92-4-75	75-A4	FT075H	44-475A	FTN-75	FT75	•
	1-1/4"	FT92-5-75	75-A5	•	44-575A	FTN-75	FT75	•
	1-1/2"	FT92-6-75	75-A6	•	44-775A	FTN-75	FT75	•
	3/4"	FT92-3-125	125-A3	FT125H	44-2125A	FTN-125	FT125	•
	1"	FT92-4-125	125-A4	FT125H	44-4125A	FTN-125	FT125	•
	1-1/4"	FT92-5-125	125-A5	•	44-5125A	FTN-125	FT125	•
	1-1/2"	FT92-6-125	125-A6	•	44-7125A	FTN-125	FT125	•
H PATTERN NPT STAINLESS STEEL TRIM	3/4"	FT92-3-15X	•	•	54-230	•	•	•
	1"	FT92-4-15X	•	•	54-415	•	•	•
	1-1/4"	FT92-5-15X	•	•	54-530	•	•	•
	1-1/2"	FT92-6-15X	•	•	54-730	•	•	•
	3/4"	FT92-3-30X	•	•	54-230	•	•	•
	1"	FT92-4-30X	•	•	54-430	•	•	•
	1-1/4"	FT92-5-30X	•	•	54-530	•	•	•
	1-1/2"	FT92-6-30X	•	•	54-730	•	•	•
	3/4"	FT92-3-75X	•	•	54-275	•	•	•
	1"	FT92-4-75X	•	•	54-475	•	•	•
	1-1/4"	FT92-5-75X	•	•	54-575	•	•	•
	1-1/2"	FT92-6-75X	•	•	54-775	•	•	•
	3/4"	FT92-3-125X	•	•	54-2125	•	•	•
	1"	FT92-4-125X	•	•	54-4125	•	•	•
1-1/4"	FT92-5-125X	•	•	54-5125	•	•	•	
1-1/2"	FT92-6-125X	•	•	54-7125	•	•	•	

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.



Float & Thermostatic Traps (Continued)

MOUNTING PATTERN	Size	Sterlco	Armstrong	Hoffman	Mepco	Nicholson Spence	Spirax Sarco	Watson Macdaniel
H PATTERN NPT	1-1/2"	FT94-6-15	•	•	46-715	•	•	FT7-015-16-N
	2"	FT94-8-15	•	•	46-815	•	•	FT8-015-17-N
	1-1/2"	FT94-6-30	•	•	46-730	•	•	•
	2"	FT94-8-30	•	•	46-830	•	•	•
	1-1/2"	FT94-6-75	•	•	46-775	•	•	•
	2"	FT94-8-75	•	•	46-875	•	•	•
	1-1/2"	FT94-6-125	•	•	46-7125	•	•	•
	2"	FT94-8-125	•	•	46-8125	•	•	•
	1-1/2"	FT94-6-15HC	•	•	48-715	•	•	•
	2"	FT94-8-15HC	•	•	48-815	•	•	•
	1-1/2"	FT94-6-30HC	•	•	48-730	•	•	•
	2"	FT94-8-30HC	•	•	48-830	•	•	•
	1-1/2"	FT94-6-75HC	•	•	48-775	•	•	•
	2"	FT94-8-75HC	•	•	48-875	•	•	•
	1-1/2"	FT94-6-125HC	•	•	48-7125	•	•	•
	2"	FT94-8-125HC	•	•	48-8125	•	•	•
C PATTERN NPT	2"	FT96-8-15	•	FT015X	30-8A	•	•	•
	2"	FT96-8-15HC	15-J8	FT015X	SA30-815	•	•	•
	2-1/2"	FT96-10-15HC	•	FT030C	SA30-915	•	•	•
	2"	FT96-8-30HC	30-J8	FT030X	SA30-830	•	FTB-30	•
	2-1/2"	FT96-10-30HC	30L10	FT030C	SA30-930	•	•	•
	1-1/2"	FT96-6-60HC	•	•	•	•	•	•
	2"	FT96-8-60	•	•	30-8AS	•	•	•
	2-1/2"	FT96-10-125HC	•	•	SA30-9125	•	FTB-125	•

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.



Float & Thermostatic Traps (Continued)

MOUNTING PATTERN	Size	Sterlco	Armstrong	Hoffman	Mepco	Nicholson Spence	Spirax Sarco	Watson Macdaniel
INLINE NPT	1/2"	FT90-2-15IL	30-AI-2	•	42-115A	•	•	FTT-065-12-N
	3/4"	FT90-3-15IL	30-AI-3	FT015I	42-215A	•	•	FTT-065-13-N
	1"	FT90-4-15IL	30-AI-4	FT015I	42-415A	FTE-10	•	•
	1-1/4"	FT90-5-15IL	•	FT015I	42-515A	•	•	•
	1-1/2"	FT90-6-15IL	•	•	42-715A	FTE-10	•	•
	2"	FT90-8-15IL	•	•	42-815A	FTE-10	•	•
	1/2"	FT90-2-30IL	30-AI-2	•	42-130A	•	•	•
	3/4"	FT90-3-30IL	30-AI-3	FT030I	42-230A	•	•	•
	1"	FT90-4-30IL	30-AI-4	FT030I	42-430A	FTE-10	•	•
	1-1/4"	FT90-5-30IL	•	FT030I	42-530A	•	•	•
	1-1/2"	FT90-6-30IL	•	•	42-730A	FTE-10	•	•
	2"	FT90-8-30IL	•	•	42-830A	FTE-10	•	•
	1/2"	FT90-2-75IL	75-AI-2	•	42-130A	•	•	•
	3/4"	FT90-3-75IL	75-AI-3	FT075I	42-230A	•	•	•
	1"	FT90-4-75IL	75-AI-4	FT075I	42-430A	FTE-10	•	•
	1-1/4"	FT90-5-75IL	•	•	42-530A	•	•	•
	1-1/2"	FT90-6-75IL	•	•	42-730A	FTE-10	•	•
	2"	FT90-8-75IL	•	•	42-830A	FTE-10	•	•
	3/4"	FT90-3-125IL	125-AI-3	FT0125I	42-230A	FTE-10	•	•
	1"	FT90-4-125IL	125-AI-3	FT0125I	42-430A	FTE-10	•	•
	1-1/4"	FT90-5-125IL	•	•	42-5125A	•	•	•
	1-1/2"	FT90-6-125IL	•	•	42-7125A	FTE-10	•	•
	2"	FT90-8-125IL	•	•	42-8125A	FTE-10	•	•

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.

Inverted Bucket Trap

MOUNTING PATTERN	Size	Sterlco	Armstrong	Hoffman	Mepco	Nicholson Spence	Spirax Sarco	Watson Macdaniel
HORIZONTAL NPT	1/2"	919-2-20	800 Series	B1015A	IB00-2-20	•	•	IB1031-12-N-20
	3/4"	919-3-20	800 Series	B1015A	IB00-3-20	•	•	IB1031-13-N-20
	1/2"	919-2-80	800 Series	B1075A	IB00-2-80	•	•	IB1031-12-N-80
	3/4"	919-3-80	800 Series	B1075A	IB00-3-80	•	•	IB1031-13-N-80
	1/2"	919-2-125	800 Series	B1125A	IB00-2-125	•	•	IB1031-12-N-125
	3/4"	919-3-125	800 Series	B1125A	IB00-3-125	•	•	IB1031-13-N-125
	1/2"	919-2-150	800 Series	•	IB00-2-150	•	•	IB1031-12-N-150
	3/4"	919-3-150	800 Series	•	IB00-3-150	•	•	IB1031-13-N-150
	1/2"	920-2-15	811 Series	B1015A	IB11-2-15	•	•	IB1032-12-N-15
	3/4"	920-3-15	811 Series	B1015A	IB11-3-15	•	•	IB1032-13-N-15
	1"	920-4-15	811 Series	•	IB11-4-15	•	•	IB1032-14-N-15
	1/2"	920-2-30	811 Series	B1030A	IB11-2-30	•	•	IB1032-12-N-30
	3/4"	920-3-30	811 Series	B1030A	IB11-3-30	•	•	IB1032-13-N-30
	1"	920-4-30	811 Series	•	IB11-4-30	•	•	IB1032-14-N-30
	1/2"	920-2-70	811 Series	•	IB11-2-70	•	•	IB1032-12-N-70
	3/4"	920-3-70	811 Series	•	IB11-3-70	•	•	IB1032-13-N-70
	1"	920-4-70	811 Series	•	IB11-4-70	•	•	IB1032-14-N-70
	1/2"	920-2-125	811 Series	B1125A	IB11-2-125	•	•	IB1032-12-N-125
	3/4"	920-3-125	811 Series	B1125A	IB11-3-125	•	•	IB1032-13-N-125
	1"	920-4-125	811 Series	•	IB11-4-125	•	•	IB1032-14-N-125
	1/2"	920-2-200	811 Series	B1180A	IB11-2-200	•	•	IB1032-12-N-200
	3/4"	920-3-200	811 Series	B1180A	IB11-3-200	•	•	IB1032-13-N-200
	1"	920-4-200	811 Series	•	IB11-4-200	•	•	IB1032-14-N-200
	1/2"	920-2-250	811 Series	B1250A	IB11-2-250	•	•	IB1032-12-N-250
	3/4"	920-3-250	811 Series	B1250A	IB11-3-250	•	•	IB1032-13-N-250
	1"	920-4-250	811 Series	•	IB11-4-250	•	•	IB1032-14-N-250

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.



Inverted Bucket Trap (Continued)

MOUNTING PATTERN	Size	Sterlco	Armstrong	Hoffman	Mepco	Nicholson Spence	Spirax Sarco	Watson Macdaniel
HORIZONTAL NPT	1/2"	921-2-15	812 Series	B2015A	IB12-2-15	•	•	IB1033-12-N-15
	3/4"	921-3-15	812 Series	B2015A	IB12-3-15	•	•	IB1033-13-N-15
	1/2"	921-2-30	812 Series	B2030A	IB12-2-30	•	•	IB1033-12-N-30
	3/4"	921-3-30	812 Series	B2030A	IB12-3-30	•	•	IB1033-13-N-30
	1/2"	921-2-70	812 Series	•	IB12-2-70	•	•	IB1033-12-N-70
	3/4"	921-3-70	812 Series	•	IB12-3-70	•	•	IB1033-13-N-70
	1/2"	921-2-125	812 Series	B2125A	IB12-2-125	•	•	IB1033-12-N-125
	3/4"	921-3-125	812 Series	B2125A	IB12-3-125	•	•	IB1033-13-N-125
	1/2"	921-2-200	812 Series	B2200A	IB12-2-200	•	•	IB1033-12-N-200
	3/4"	921-3-200	812 Series	B2200A	IB12-3-200	•	•	IB1033-13-N-200
	1/2"	921-2-250	812 Series	B2250A	IB12-2-250	•	•	IB1033-12-N-250
	3/4"	921-3-250	812 Series	B2250A	IB12-3-250	•	•	IB1033-13-N-250
	3/4"	922-3-15	813 Series	B3015A	IB13-3-15	•	•	IB1034-13-N-15
	1"	922-4-15	813 Series	B3015A	IB13-4-15	•	•	IB1034-14-N-15
	3/4"	922-3-30	813 Series	B3030A	IB13-3-30	•	•	IB1034-13-N-30
	1"	922-4-30	813 Series	B3030A	IB13-4-30	•	•	IB1034-14-N-30
	3/4"	922-3-60	813 Series	•	IB13-3-60	•	•	IB1034-13-N-60
	1"	922-4-60	813 Series	•	IB13-4-60	•	•	IB1034-14-N-60
	3/4"	922-3-80	813 Series	B3075A	IB13-3-80	•	•	IB1034-13-N-80
	1"	922-4-80	813 Series	B3075A	IB13-4-80	•	•	IB1034-14-N-80
	3/4"	922-3-125	813 Series	B3125A	IB13-3-125	•	•	IB1034-13-N-125
	1"	922-4-125	813 Series	B3125A	IB13-4-125	•	•	IB1034-14-N-125
	3/4"	922-3-180	813 Series	B3180A	IB13-3-180	•	•	IB1034-13-N-180
	1"	922-4-180	813 Series	B3180A	IB13-4-180	•	•	IB1034-14-N-180
	3/4"	922-3-250	813 Series	B3250A	IB13-3-250	•	•	IB1034-13-N-250
	1"	922-4-250	813 Series	B3250A	IB13-4-250	•	•	IB1034-14-N-250

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.



Inverted Bucket Trap (Continued)

MOUNTING PATTERN	Size	Sterlco	Armstrong	Hoffman	Mepco	Nicholson Spence	Spirax Sarco	Watson Macdaniel
HORIZONTAL NPT	1"	923-4-15	814 Series	•	IB14-4-15	•	•	•
	1-1/4"	923-5-15	814 Series	•	IB14-5-15	•	•	•
	1"	923-4-30	814 Series	•	IB14-4-30	•	•	•
	1-1/4"	923-5-30	814 Series	•	IB14-5-30	•	•	•
	1"	923-4-60	814 Series	•	IB14-4-60	•	•	•
	1-1/4"	923-5-60	814 Series	•	IB14-5-60	•	•	•
	1"	923-4-80	814 Series	•	IB14-4-80	•	•	•
	1-1/4"	923-5-80	814 Series	•	IB14-5-80	•	•	•
	1"	923-4-125	814 Series	•	IB14-4-125	•	•	•
	1-1/4"	923-5-125	814 Series	•	IB14-5-125	•	•	•
	1"	923-4-180	814 Series	•	IB14-4-180	•	•	•
	1-1/4"	923-5-180	814 Series	•	IB14-5-180	•	•	•
	1"	923-4-250	814 Series	•	IB14-4-125	•	•	•
	1-1/4"	923-5-250	814 Series	•	IB14-5-125	•	•	•

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.



Inverted Bucket Trap (Continued)

MOUNTING PATTERN	Size	Sterlco	Armstrong	Hoffman	Mepco	Nicholson Spence	Spirax Sarco	Watson Macdaniel
HORIZONTAL NPT	1-1/4"	924-5-15	815 Series	B4015A	IB15-5-15	•	•	•
	1-1/2"	924-6-15	815 Series	B4015A	IB15-6-15	•	•	•
	2"	924-8-15	815 Series	•	IB15-8-15	•	•	•
	1-1/4"	924-5-30	815 Series	B4030A	IB15-5-30	•	•	•
	1-1/2"	924-6-30	815 Series	B4030A	IB15-6-30	•	•	•
	2"	924-8-30	815 Series	•	IB15-8-30	•	•	•
	1-1/4"	924-5-60	815 Series	•	IB15-5-60	•	•	•
	1-1/2"	924-6-60	815 Series	•	IB15-6-60	•	•	•
	2"	924-8-60	815 Series	•	IB15-8-60	•	•	•
	1-1/4"	924-5-100	815 Series	•	IB15-5-100	•	•	•
	1-1/2"	924-6-100	815 Series	•	IB15-6-100	•	•	•
	2"	924-8-100	815 Series	•	IB15-8-100	•	•	•
	1-1/4"	924-5-125	815 Series	•	IB15-5-125	•	•	•
	1-1/2"	924-6-125	815 Series	•	IB15-6-125	•	•	•
	2"	924-8-125	815 Series	•	IB15-8-125	•	•	•
	1-1/4"	924-5-180	815 Series	•	IB15-5-180	•	•	•
	1-1/2"	924-6-180	815 Series	•	IB15-6-180	•	•	•
	2"	924-8-180	815 Series	•	IB15-8-180	•	•	•
	1-1/4"	924-5-225	815 Series	•	IB15-5-225	•	•	•
	1-1/2"	924-6-225	815 Series	•	IB15-6-225	•	•	•
2"	924-8-225	815 Series	•	IB15-8-225	•	•	•	
1-1/4"	924-5-250	815 Series	•	IB15-5-250	•	•	•	
1-1/2"	924-6-250	815 Series	•	IB15-6-250	•	•	•	
2"	924-8-250	815 Series	•	IB15-8-250	•	•	•	

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.



Inverted Bucket Trap (Continued)

MOUNTING PATTERN	Size	Sterlco	Armstrong	Hoffman	Mepco	Nicholson Spence	Spirax Sarco	Watson Macdaniel
HORIZONTAL NPT	2"	925-8-15	816 Series	•	IB16-8-15	•	•	•
	2-1/2"	925-10-15	816 Series	•	IB16-10-15	•	•	•
	2"	925-8-25	816 Series	•	IB16-8-25	•	•	•
	2-1/2"	925-10-25	816 Series	•	IB16-10-25	•	•	•
	2"	925-8-40	816 Series	•	IB16-8-40	•	•	•
	2-1/2"	925-10-40	816 Series	•	IB16-10-40	•	•	•
	2"	925-8-60	816 Series	•	IB16-8-60	•	•	•
	2-1/2"	925-10-60	816 Series	•	IB16-10-60	•	•	•
	2"	925-8-80	816 Series	•	IB16-8-80	•	•	•
	2-1/2"	925-10-80	816 Series	•	IB16-10-80	•	•	•
	2"	925-8-125	816 Series	•	IB16-8-125	•	•	•
	2-1/2"	925-10-125	816 Series	•	IB16-10-125	•	•	•
	2"	925-8-180	816 Series	•	IB16-8-180	•	•	•
	2-1/2"	925-10-180	816 Series	•	IB16-10-180	•	•	•
	2"	925-8-250	816 Series	•	IB16-8-250	•	•	•
	2-1/2"	925-10-250	816 Series	•	IB16-10-250	•	•	•

Disclaimer: Trap is sized base off condensate load at max pressure rating. This cross reference is to be use only as a guide. Sterling is not responsible for the selection of any product and should be reference.